



Government of The People's Republic of Bangladesh.  
Chattogram Divisional Laboratory  
Department of Environment  
ZakirHossain Road, Khulshi, Chattogram.  
Email-ctglab@doe.gov.bd

Memo No. 22.02.1500.186.68.321.18- 1834

Date:- 18.10.2018

Name and Address of Applicant/Organization: Trident Cycles Company Limited, Plot No # 34, Sector # 3, KEPZ, North Patenga, Chattogram.

Subject: Ambient Air Quality Report.

Reference: As per Entrepreneur's Application Dated 30/09/2018

Sampling Date: 03/10/2018

Sample Location	Lab code	SPM $\mu\text{g}/\text{m}^3$	PM <sub>10</sub> $\mu\text{g}/\text{m}^3$	PM <sub>2.5</sub> $\mu\text{g}/\text{m}^3$	SO <sub>x</sub> $\mu\text{g}/\text{m}^3$	NO <sub>x</sub> $\mu\text{g}/\text{m}^3$	CO $\mu\text{g}/\text{m}^3$
East side of factory	A-2347	185	-	-	-	-	-
West side of factory	A-2348	198	-	-	-	-	-
Bangladesh Standard of Gaseous Emission from Industries or project as per ECR'1997.		$\leq 200$	$\leq 150$	$\leq 65$	$\leq 365$	$\leq 100$	$\leq 40$

Remarks:-North & South side the tested parameter of ambient air are within the acceptable limit of environment conservation rules'1997(Revised-2005)

Sample Collected by  
Md. Mueen Uddin Faysal  
Sample Collector

Tested by  
MD. SHAFIQUUL ISLAM  
Junior Chemist

Checked by  
Md. Kamrul Hassan  
Senior Chemist

Supervised by  
Jamir Uddin  
Deputy Director

Approved by  
Dr. Md. Sohrab Ali  
Director  
Chittagong Laboratory  
Department of Environment





Government of The People's Republic of Bangladesh.  
Chattogram Divisional Laboratory  
Department of Environment  
Zakir Hossain Road, Khulshi, Chattogram.  
Email-ctglab@doe.gov.bd

Memo No. 22.02.1500.186.68.321.18- 1835

Date:- 18.10.2018

Name and Address of Applicant/Organization: Trident Cycles Company Limited, Plot No # 34, Sector # 3, KEPZ, North Patenga, Chattogram.

Subject: Sound Measurement Report.


Reference: As per entrepreneur's application Dated 30/09/2018


Measurement Date: 03/10/2018


Sample Location	Lab code	Sound dB
East side factory (10m Distance)	S-2336	60.8 dB
West side of factory (10m Distance)	S-2337	55.3 dB
Bangladesh Standard for Sound in Industrial Area as per ECR'1997.		≤ 75


Remarks:- The sound level is within the acceptable limit of sound pollution and (control) rules'2006.

  
Sample Collected by  
**Md. Mueen Uddin Faysal**  
Sample Collector

  
Tested by 16.10.18  
**MD. SHAFIQU L ISLAM**  
Junior Chemist

  
Checked by 16.10.18  
**Md. Kamrul Hassan**  
Senior Chemist

  
Supervised by 16.10.18  
**Jamir Uddin**  
Deputy Director

  
Approved by 29.10.18  
**Dr. Md. Sohrab Ali**  
Director  
Chittagong Laboratory  
Department of Environment